



## 目次

### 総説 Review Article

- 携帯心電計を用いた遠隔医療システムの確立  
笠原 真悟 . . . . . 87

### 原著論文 Original Article

- The new materials for the filter to prevent allergic asthma caused by diesel exhaust:  
amorphous iron hydroxide and activated carbon  
Ryoji Hirota . . . . . 95

- Propolis Inhalation Reduces Allergic Airway Inflammation in *Dermatophagoides  
farinae*-treated Mice.  
Ryoji Hirota . . . . . 103

- Ambulance Transports Due to Heat Stroke in Elderly Japanese in Gifu Prefecture,  
Japan  
Noriko Sakano . . . . . 111

- 高齢者における転倒に対する危険因子としての抗精神病薬の関連性について  
岩西 雄大 . . . . . 115

- リスクを有する「肥満ではないグループ」を保健指導の対象とする新階層化の試み  
藤井 紀子 . . . . . 119

### 資料 Report

- 糖尿病受療率に関する生態学的研究～うどん県それだけじゃない糖尿病県～  
宮武 伸行 . . . . . 125

- 査読者一覧 . . . . . 129  
日本予防医学会雑誌投稿規定 . . . . . 130  
登録変更届 . . . . . 132  
編集後記 . . . . . 133  
広告協賛 . . . . . 134